



ANT
CENTER



Version 2.3

Center for Discovery of Aquatic Life on Mars

2021 Hitch Hiker's Guide to Space Travel

Dr. John Smith

Dr. Joe Shmoe

Introduction

For 4-by-3 aspect ratio slides, specify `standard` as an option to the document class. Write your presentation like a normal \LaTeX file with a `\maketitle` command and `\chapter` and `\section` headings. The `\maketitle` contents are defined by the following macros:

```
\pretitle    \title        \subtitle
\author      \extralogo
```

The `\extralogo` command specifies an extra logo below the AFIT crest. The `\chapter` heading creates a slide with just the chapter name. The `\section` heading sets the title of a new slide. However, if no text follows the section, no slide will be created. Text which does not fit on one slide will flow onto the next slide automatically.

Use the `\twocolumn` and `\onecolumn` commands right after the section heading to control the number of columns. Text will flow from the left column to the right.

- Point one
- Point two
- Point three
- Point four
- Point five

- Point six
- Point seven
- Point eight
- Point nine
- Point ten
- Point eleven
- Point twelve

You can use `\pagebreak` to force text onto the next column.

You can create any variety of subdivisions on your slide by using the tabular environment.

| | | |
|---------|-----------|----------|
| Primary | Secondary | Tertiary |
| First | Second | Third |
| One | Two | Three |
| Alpha | Beta | Gamma |
| Green | Blue | Red |
| Cyan | Yellow | Magenta |

The `\cellcolor` command sets the background color of a table cell.

Use the Center environment
to center horizontally *and* vertically.

Explicit Code

Use the python environment for Python code.

```
1 def write_list(fid, x, level):
2     ind = ' '*level
3     xs = '0' if abs(x[0]) < 1e-3 else "%.3f"
4     txt = '\n%svalues=\ "%s' % (ind, xs)
5     for n in range(1, len(x)):
6         xs = '0' if abs(x[n]) < 1e-3 else "%.3f"
7         if len(txt) + 3 + len(xs) >= 80:
8             fid.write(txt + ';\n')
9             txt = ind + ' ' + xs
10        else:
11            txt += ';' + ' ' + xs
12    fid.write(txt + '\n')
```


Use the matlab environment for MATLAB code.

```
1 function savepdf(name, width, height)
2     % name is the file name including ".pdf".
3     % Both width and height are in (cm).
4     set(gcf, 'units', 'centimeters', ...
5           'position', [0, 0, width, height])
6     set(gca, 'FontSize', 9);
7     set(gca, 'FontName', 'Times New Roman');
8     exportgraphics(gcf, name, ...
9           'ContentType', 'vector');
10 end
```

Use the `rlang` environment for R code.

```
1 factorial <- function(n) {  
2     if (n == 0 || n == 1) {  
3         return(1)  
4     } else {  
5         return(n * factorial(n - 1))  
6     }  
7 }
```

Control and Classification

Unless your presentation is being distributed, no markings need to be applied. If it is approved for public release without restriction, you can mark it as Distribution A with the `\distributionA` command.

If it is approved with a different distribution statement (B through F), specify the banner (markings in the header and footer) with `\banner{cui}` and fill in the details with the `\cui` command:

```
\cui{Controlled By: AETC \\  
    Controlled By: AFIT/ENG \\  
    CUI Category(ies): PRVCY \\  
    Distribution: \DistB{CATEGORY}{DATE}{OFFICE} \\  
    POC: John Smith, 555-123-4567}
```


For classified information, use the `\banner` command and the classification (e.g., `\banner{secret}`) and the `\classified` command:

```
\classified{  
    Classified By: \\  
    Derived From: \\  
    Declassify On: }
```

Although specific colors are not officially dictated, it is common to use certain colors for certain degrees of information control. A color theme can be set for the presentation by entering the color as a parameter to the class: `\documentclass[purple]{antbrief}`. The commonly used colors are

| | | | |
|-----------------|--------|--------------|--------|
| Top Secret//SCI | yellow | Confidential | blue |
| Top Secret | orange | CUI | purple |
| Secret | red | Uncontrolled | green |

Note that “CUI” means “Controlled Unclassified Information.”



Blank pages with the
“\blankpage” command.

Arbitrary positioning with
the “\pos” command.



Autonomy and Navigation Technology Center
Graduate School of Engineering and
Management

Air Force Institute of Technology

2950 Hobson Way, Bldg 646, Rm 205
Wright Patterson AFB, Ohio 45433

Email: ant@afit.edu

www.linkedin.com/company/ant-center

The views expressed in this article are those of the author and do not necessarily reflect the official policy or position of the United States government, Department of Defense, United States Air Force, or Air University.

*The AFIT of today is the Air and
Space Force of Tomorrow.*