
Formatting Instructions For NeurIPS 2026

Anonymous Author(s)

Affiliation

Address

email

Abstract

1 The abstract paragraph should be indented $\frac{1}{2}$ inch (3 picas) on both the left- and
2 right-hand margins. Use 10 point type, with a vertical spacing (leading) of 11 points.
3 The word **Abstract** must be centered, bold, and in point size 12. Two line spaces
4 precede the abstract. The abstract must be limited to one paragraph.

5 **1 Submission of papers to NeurIPS 2026**

6 Please read the instructions below carefully and follow them faithfully.

7 **1.1 Style**

8 Papers to be submitted to NeurIPS 2026 must be prepared according to the instructions presented here.
9 Papers may only be up to **nine** pages long, including figures. **Papers that exceed the page limit will**
10 **not be reviewed (or in any other way considered) for presentation at the conference.** Additional
11 pages *containing acknowledgments, references, checklist, and optional technical appendices* do not
12 count as content pages.

13 The margins in 2026 are the same as those in previous years.

14 Authors are required to use the NeurIPS L^AT_EX style files obtainable at the NeurIPS website as
15 indicated below. Please make sure you use the current files and not previous versions. Tweaking the
16 style files may be grounds for desk rejection.

17 **1.2 Retrieval of style files**

18 The style files for NeurIPS and other conference information are available on the website at

19 <https://neurips.cc>.

20 The only supported style file for NeurIPS 2026 is `neurips_2026.sty`, rewritten for L^AT_EX 2_ε.
21 **Previous style files for L^AT_EX 2.09, Microsoft Word, and RTF are no longer supported.**

22 The L^AT_EX style file contains three optional arguments:

- 23 • `final`, which creates a camera-ready copy,
- 24 • `preprint`, which creates a preprint for submission to, e.g., arXiv,
- 25 • `nonatbib`, which will not load the `natbib` package for you in case of package clash.

26 **Preprint option** If you wish to post a preprint of your work online, e.g., on arXiv, using the
27 NeurIPS style, please use the `preprint` option. This will create a nonanonymized version of your
28 work with the text “Preprint. Work in progress.” in the footer. This version may be distributed as you

29 see fit, as long as you do not say which conference it was submitted to. Please **do not** use the `final`
30 option, which should **only** be used for papers accepted to NeurIPS.

31 At submission time, please omit the `final` and `preprint` options. This will anonymize your
32 submission and add line numbers to aid review. Please do *not* refer to these line numbers in your
33 paper as they will be removed during generation of camera-ready copies.

34 The file `neurips_2026.tex` may be used as a “shell” for writing your paper. All you have to do is
35 replace the author, title, abstract, and text of the paper with your own.

36 The formatting instructions contained in these style files are summarized in Sections 2, 3, and 4
37 below.

38 **2 General formatting instructions**

39 The text must be confined within a rectangle 5.5 inches (33 picas) wide and 9 inches (54 picas) long.
40 The left margin is 1.5 inch (9 picas). Use 10 point type with a vertical spacing (leading) of 11 points.
41 Times New Roman is the preferred typeface throughout, and will be selected for you by default.
42 Paragraphs are separated by $\frac{1}{2}$ line space (5.5 points), with no indentation.

43 The paper title should be 17 point, initial caps/lower case, bold, centered between two horizontal
44 rules. The top rule should be 4 points thick and the bottom rule should be 1 point thick. Allow $\frac{1}{4}$ inch
45 space above and below the title to rules. All pages should start at 1 inch (6 picas) from the top of the
46 page.

47 For the final version, authors’ names are set in boldface, and each name is centered above the
48 corresponding address. The lead author’s name is to be listed first (left-most), and the co-authors’
49 names (if different address) are set to follow. If there is only one co-author, list both author and
50 co-author side by side.

51 Please pay special attention to the instructions in Section 4 regarding figures, tables, acknowledgments,
52 and references.

53 **3 Headings: first level**

54 All headings should be lower case (except for first word and proper nouns), flush left, and bold.

55 First-level headings should be in 12-point type.

56 **3.1 Headings: second level**

57 Second-level headings should be in 10-point type.

58 **3.1.1 Headings: third level**

59 Third-level headings should be in 10-point type.

60 **Paragraphs** There is also a `\paragraph` command available, which sets the heading in bold, flush
61 left, and inline with the text, with the heading followed by 1 em of space.

62 **4 Citations, figures, tables, references**

63 These instructions apply to everyone.

64 **4.1 Citations within the text**

65 The `natbib` package will be loaded for you by default. Citations may be author/year or numeric, as
66 long as you maintain internal consistency. As to the format of the references themselves, any style is
67 acceptable as long as it is used consistently.

68 The documentation for `natbib` may be found at




Figure 1: Sample figure caption. Explain what the figure shows and add a key take-away message to the caption.

69 `http://mirrors.ctan.org/macros/latex/contrib/natbib/natnotes.pdf`

70 Of note is the command `\citet`, which produces citations appropriate for use in inline text. For
71 example,

72 `\citet{hasselmo}` investigated\dots

73 produces

74 Hasselmo, et al. (1995) investigated...

75 If you wish to load the `natbib` package with options, you may add the following before loading the
76 `neurips_2026` package:

77 `\PassOptionsToPackage{options}{natbib}`

78 If `natbib` clashes with another package you load, you can add the optional argument `nonatbib`
79 when loading the style file:

80 `\usepackage[nonatbib]{neurips_2026}`

81 As submission is double blind, refer to your own published work in the third person. That is, use “In
82 the previous work of Jones et al. [4],” not “In our previous work [4].” If you cite your other papers
83 that are not widely available (e.g., a journal paper under review), use anonymous author names in the
84 citation, e.g., an author of the form “A. Anonymous” and include a copy of the anonymized paper in
85 the supplementary material.

86 4.2 Footnotes

87 Footnotes should be used sparingly. If you do require a footnote, indicate footnotes with a number¹
88 in the text. Place the footnotes at the bottom of the page on which they appear. Precede the footnote
89 with a horizontal rule of 2 inches (12 picas).

90 Note that footnotes are properly typeset *after* punctuation marks.²

91 4.3 Figures

92 All artwork must be neat, clean, and legible. Lines should be dark enough for reproduction purposes.
93 The figure number and caption always appear after the figure. Place one line space before the figure
94 caption and one line space after the figure. The figure caption should be lower case (except for the
95 first word and proper nouns); figures are numbered consecutively.

96 You may use color figures. However, it is best for the figure captions and the paper body to be legible
97 if the paper is printed in either black/white or in color.

¹Sample of the first footnote.

²As in this example.

Table 1: Sample table caption. Explain what the table shows and add a key take-away message to the caption.

Part		
Name	Description	Size (μm)
Dendrite	Input terminal	≈ 100
Axon	Output terminal	≈ 10
Soma	Cell body	up to 10^6

98 **4.4 Tables**

99 All tables must be centered, neat, clean, and legible. The table number and title always appear before
100 the table. See Table 1.

101 Place one line space before the table title, one line space after the table title, and one line space after
102 the table. The table title must be lower case (except for the first word and proper nouns); tables are
103 numbered consecutively.

104 Note that publication-quality tables *do not contain vertical rules*. We strongly suggest the use of the
105 `booktabs` package, which allows for typesetting high-quality, professional tables:

106 `https://www.ctan.org/pkg/booktabs`

107 This package was used to typeset Table 1.

108 **4.5 Math**

109 Note that display math in bare TeX commands will not create correct line numbers for sub-
110 mission. Please use LaTeX (or AMSTeX) commands for unnumbered display math. (You
111 really shouldn't be using `$$` anyway; see <https://tex.stackexchange.com/questions/503/why-is-preferable-to> and
112 <https://tex.stackexchange.com/questions/40492/what-are-the-differences-between-align-equation-and-displaymath> for more infor-
113 mation.)

115 **4.6 Final instructions**

116 Do not change any aspects of the formatting parameters in the style files. In particular, do not modify
117 the width or length of the rectangle the text should fit into, and do not change font sizes. Please note
118 that pages should be numbered.

119 **5 Preparing PDF files**

120 Please prepare submission files with paper size “US Letter,” and not, for example, “A4.”

121 Fonts were the main cause of problems in the past years. Your PDF file must only contain Type 1 or
122 Embedded TrueType fonts. Here are a few instructions to achieve this.

- 123 • You should directly generate PDF files using `pdflatex`.
- 124 • You can check which fonts a PDF files uses. In Acrobat Reader, select the menu
125 Files>Document Properties>Fonts and select Show All Fonts. You can also use the program
126 `pdf fonts` which comes with `xpdf` and is available out-of-the-box on most Linux machines.
- 127 • `xf ig` “patterned” shapes are implemented with bitmap fonts. Use “solid” shapes instead.
- 128 • The `\b bold` package almost always uses bitmap fonts. You should use the equivalent AMS
129 Fonts:

130 `\usepackage{amsfonts}`

131 followed by, e.g., `\mathbb{R}`, `\mathbb{N}`, or `\mathbb{C}` for \mathbb{R} , \mathbb{N} or \mathbb{C} . You can also
132 use the following workaround for reals, natural and complex:

```
133 \newcommand{\RR}{\mathbb{R}} %real numbers
134 \newcommand{\Nat}{\mathbb{N}} %natural numbers
135 \newcommand{\CC}{\mathbb{C}} %complex numbers
```

136 Note that `amsfonts` is automatically loaded by the `amssymb` package.

137 If your file contains type 3 fonts or non embedded TrueType fonts, we will ask you to fix it.

138 5.1 Margins in L^AT_EX

139 Most of the margin problems come from figures positioned by hand using `\special` or other
140 commands. We suggest using the command `\includegraphics` from the `graphicx` package.
141 Always specify the figure width as a multiple of the line width as in the example below:

```
142 \usepackage[pdftex]{graphicx} ...
143 \includegraphics[width=0.8\linewidth]{myfile.pdf}
```

144 See Section 4.4 in the graphics bundle documentation ([http://mirrors.ctan.org/macros/](http://mirrors.ctan.org/macros/latex/required/graphics/grfguide.pdf)
145 [latex/required/graphics/grfguide.pdf](http://mirrors.ctan.org/macros/latex/required/graphics/grfguide.pdf))

146 A number of width problems arise when L^AT_EX cannot properly hyphenate a line. Please give LaTeX
147 hyphenation hints using the `\-` command when necessary.

148 References

149 References follow the acknowledgments in the camera-ready paper. Use unnumbered first-level
150 heading for the references. Any choice of citation style is acceptable as long as you are consistent. It
151 is permissible to reduce the font size to `small` (9 point) when listing the references. Note that the
152 Reference section does not count towards the page limit.

153 [1] Alexander, J.A. & Mozer, M.C. (1995) Template-based algorithms for connectionist rule extraction. In
154 G. Tesauro, D.S. Touretzky and T.K. Leen (eds.), *Advances in Neural Information Processing Systems 7*, pp.
155 609–616. Cambridge, MA: MIT Press.

156 [2] Bower, J.M. & Beeman, D. (1995) *The Book of GENESIS: Exploring Realistic Neural Models with the*
157 *General NEural Simulation System*. New York: TELOS/Springer-Verlag.

158 [3] Hasselmo, M.E., Schnell, E. & Barkai, E. (1995) Dynamics of learning and recall at excitatory recurrent
159 synapses and cholinergic modulation in rat hippocampal region CA3. *Journal of Neuroscience* **15**(7):5249-5262.

160 A Technical appendices and supplementary material

161 Technical appendices with additional results, figures, graphs, and proofs may be submitted with the
162 paper submission before the full submission deadline (see above). You can upload a ZIP file for
163 videos or code, but do not upload a separate PDF file for the appendix. There is no page limit for the
164 technical appendices.

165 Note: Think of the appendix as “optional reading” for reviewers. The paper must be able to stand
166 alone without the appendix; for example, adding critical experiments that support the main claims to
167 an appendix is inappropriate.

168 **NeurIPS Paper Checklist**

169 The checklist is designed to encourage best practices for responsible machine learning research,
170 addressing issues of reproducibility, transparency, research ethics, and societal impact. Do not remove
171 the checklist: **The papers not including the checklist will be desk rejected.** The checklist should
172 follow the references and follow the (optional) supplemental material. The checklist does NOT count
173 towards the page limit.

174 Please read the checklist guidelines carefully for information on how to answer these questions. For
175 each question in the checklist:

- 176 • You should answer [Yes], [No], or [N/A].
- 177 • [N/A] means either that the question is Not Applicable for that particular paper or the
178 relevant information is Not Available.
- 179 • Please provide a short (1–2 sentence) justification right after your answer (even for [N/A]).

180 **The checklist answers are an integral part of your paper submission.** They are visible to the
181 reviewers, area chairs, senior area chairs, and ethics reviewers. You will also be asked to include it
182 (after eventual revisions) with the final version of your paper, and its final version will be published
183 with the paper.

184 The reviewers of your paper will be asked to use the checklist as one of the factors in their evaluation.
185 While [Yes] is generally preferable to [No], it is perfectly acceptable to answer [No] provided a
186 proper justification is given (e.g., error bars are not reported because it would be too computationally
187 expensive” or “we were unable to find the license for the dataset we used”). In general, answering
188 [No] or [N/A] is not grounds for rejection. While the questions are phrased in a binary way, we
189 acknowledge that the true answer is often more nuanced, so please just use your best judgment and
190 write a justification to elaborate. All supporting evidence can appear either in the main paper or the
191 supplemental material, provided in appendix. If you answer [Yes] to a question, in the justification
192 please point to the section(s) where related material for the question can be found.

193 IMPORTANT, please:

- 194 • **Delete this instruction block, but keep the section heading “NeurIPS Paper Checklist”.**
- 195 • **Keep the checklist subsection headings, questions/answers and guidelines below.**
- 196 • **Do not modify the questions and only use the provided macros for your answers.**

197 **1. Claims**

198 Question: Do the main claims made in the abstract and introduction accurately reflect the
199 paper’s contributions and scope?

200 Answer: **[TODO]**

201 Justification: **[TODO]**

202 Guidelines:

- 203 • The answer [N/A] means that the abstract and introduction do not include the claims
204 made in the paper.
- 205 • The abstract and/or introduction should clearly state the claims made, including the
206 contributions made in the paper and important assumptions and limitations. A [No] or
207 [N/A] answer to this question will not be perceived well by the reviewers.
- 208 • The claims made should match theoretical and experimental results, and reflect how
209 much the results can be expected to generalize to other settings.
- 210 • It is fine to include aspirational goals as motivation as long as it is clear that these goals
211 are not attained by the paper.

212 **2. Limitations**

213 Question: Does the paper discuss the limitations of the work performed by the authors?

214 Answer: **[TODO]**

215 Justification: **[TODO]**

216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266

Guidelines:

- The answer [N/A] means that the paper has no limitation while the answer [No] means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate “Limitations” section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren’t acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory assumptions and proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental result reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [TODO]

Justification: [TODO]

Guidelines:

- The answer [N/A] means that the paper does not include experiments.

- 267 • If the paper includes experiments, a [No] answer to this question will not be perceived
268 well by the reviewers: Making the paper reproducible is important, regardless of
269 whether the code and data are provided or not.
- 270 • If the contribution is a dataset and/or model, the authors should describe the steps taken
271 to make their results reproducible or verifiable.
- 272 • Depending on the contribution, reproducibility can be accomplished in various ways.
273 For example, if the contribution is a novel architecture, describing the architecture fully
274 might suffice, or if the contribution is a specific model and empirical evaluation, it may
275 be necessary to either make it possible for others to replicate the model with the same
276 dataset, or provide access to the model. In general, releasing code and data is often
277 one good way to accomplish this, but reproducibility can also be provided via detailed
278 instructions for how to replicate the results, access to a hosted model (e.g., in the case
279 of a large language model), releasing of a model checkpoint, or other means that are
280 appropriate to the research performed.
- 281 • While NeurIPS does not require releasing code, the conference does require all submis-
282 sions to provide some reasonable avenue for reproducibility, which may depend on the
283 nature of the contribution. For example
 - 284 (a) If the contribution is primarily a new algorithm, the paper should make it clear how
285 to reproduce that algorithm.
 - 286 (b) If the contribution is primarily a new model architecture, the paper should describe
287 the architecture clearly and fully.
 - 288 (c) If the contribution is a new model (e.g., a large language model), then there should
289 either be a way to access this model for reproducing the results or a way to reproduce
290 the model (e.g., with an open-source dataset or instructions for how to construct
291 the dataset).
 - 292 (d) We recognize that reproducibility may be tricky in some cases, in which case
293 authors are welcome to describe the particular way they provide for reproducibility.
294 In the case of closed-source models, it may be that access to the model is limited in
295 some way (e.g., to registered users), but it should be possible for other researchers
296 to have some path to reproducing or verifying the results.

297 5. Open access to data and code

298 Question: Does the paper provide open access to the data and code, with sufficient instruc-
299 tions to faithfully reproduce the main experimental results, as described in supplemental
300 material?

301 Answer: [TODO]

302 Justification: [TODO]

303 Guidelines:

- 304 • The answer [N/A] means that paper does not include experiments requiring code.
- 305 • Please see the NeurIPS code and data submission guidelines ([https://neurips.cc/
306 public/guides/CodeSubmissionPolicy](https://neurips.cc/public/guides/CodeSubmissionPolicy)) for more details.
- 307 • While we encourage the release of code and data, we understand that this might not
308 be possible, so [No] is an acceptable answer. Papers cannot be rejected simply for not
309 including code, unless this is central to the contribution (e.g., for a new open-source
310 benchmark).
- 311 • The instructions should contain the exact command and environment needed to run to
312 reproduce the results. See the NeurIPS code and data submission guidelines ([https://
313 neurips.cc/public/guides/CodeSubmissionPolicy](https://neurips.cc/public/guides/CodeSubmissionPolicy)) for more details.
- 314 • The authors should provide instructions on data access and preparation, including how
315 to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- 316 • The authors should provide scripts to reproduce all experimental results for the new
317 proposed method and baselines. If only a subset of experiments are reproducible, they
318 should state which ones are omitted from the script and why.
- 319 • At submission time, to preserve anonymity, the authors should release anonymized
320 versions (if applicable).

- 321 • Providing as much information as possible in supplemental material (appended to the
322 paper) is recommended, but including URLs to data and code is permitted.

323 6. Experimental setting/details

324 Question: Does the paper specify all the training and test details (e.g., data splits, hyperpa-
325 rameters, how they were chosen, type of optimizer) necessary to understand the results?

326 Answer: **[TODO]**

327 Justification: **[TODO]**

328 Guidelines:

- 329 • The answer [N/A] means that the paper does not include experiments.
- 330 • The experimental setting should be presented in the core of the paper to a level of detail
331 that is necessary to appreciate the results and make sense of them.
- 332 • The full details can be provided either with the code, in appendix, or as supplemental
333 material.

334 7. Experiment statistical significance

335 Question: Does the paper report error bars suitably and correctly defined or other appropriate
336 information about the statistical significance of the experiments?

337 Answer: **[TODO]**

338 Justification: **[TODO]**

339 Guidelines:

- 340 • The answer [N/A] means that the paper does not include experiments.
- 341 • The authors should answer **[Yes]** if the results are accompanied by error bars, confidence
342 intervals, or statistical significance tests, at least for the experiments that support the
343 main claims of the paper.
- 344 • The factors of variability that the error bars are capturing should be clearly stated (for
345 example, train/test split, initialization, random drawing of some parameter, or overall
346 run with given experimental conditions).
- 347 • The method for calculating the error bars should be explained (closed form formula,
348 call to a library function, bootstrap, etc.)
- 349 • The assumptions made should be given (e.g., Normally distributed errors).
- 350 • It should be clear whether the error bar is the standard deviation or the standard error
351 of the mean.
- 352 • It is OK to report 1-sigma error bars, but one should state it. The authors should
353 preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis
354 of Normality of errors is not verified.
- 355 • For asymmetric distributions, the authors should be careful not to show in tables or
356 figures symmetric error bars that would yield results that are out of range (e.g., negative
357 error rates).
- 358 • If error bars are reported in tables or plots, the authors should explain in the text how
359 they were calculated and reference the corresponding figures or tables in the text.

360 8. Experiments compute resources

361 Question: For each experiment, does the paper provide sufficient information on the com-
362 puter resources (type of compute workers, memory, time of execution) needed to reproduce
363 the experiments?

364 Answer: **[TODO]**

365 Justification: **[TODO]**

366 Guidelines:

- 367 • The answer [N/A] means that the paper does not include experiments.
- 368 • The paper should indicate the type of compute workers CPU or GPU, internal cluster,
369 or cloud provider, including relevant memory and storage.
- 370 • The paper should provide the amount of compute required for each of the individual
371 experimental runs as well as estimate the total compute.

- 372 • The paper should disclose whether the full research project required more compute
373 than the experiments reported in the paper (e.g., preliminary or failed experiments that
374 didn't make it into the paper).

375 9. Code of ethics

376 Question: Does the research conducted in the paper conform, in every respect, with the
377 NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines?>

378 Answer: **[TODO]**

379 Justification: **[TODO]**

380 Guidelines:

- 381 • The answer [N/A] means that the authors have not reviewed the NeurIPS Code of
382 Ethics.
- 383 • If the authors answer [No], they should explain the special circumstances that require a
384 deviation from the Code of Ethics.
- 385 • The authors should make sure to preserve anonymity (e.g., if there is a special consid-
386 eration due to laws or regulations in their jurisdiction).

387 10. Broader impacts

388 Question: Does the paper discuss both potential positive societal impacts and negative
389 societal impacts of the work performed?

390 Answer: **[TODO]**

391 Justification: **[TODO]**

392 Guidelines:

- 393 • The answer [N/A] means that there is no societal impact of the work performed.
- 394 • If the authors answer [N/A] or [No], they should explain why their work has no societal
395 impact or why the paper does not address societal impact.
- 396 • Examples of negative societal impacts include potential malicious or unintended uses
397 (e.g., disinformation, generating fake profiles, surveillance), fairness considerations
398 (e.g., deployment of technologies that could make decisions that unfairly impact specific
399 groups), privacy considerations, and security considerations.
- 400 • The conference expects that many papers will be foundational research and not tied
401 to particular applications, let alone deployments. However, if there is a direct path to
402 any negative applications, the authors should point it out. For example, it is legitimate
403 to point out that an improvement in the quality of generative models could be used to
404 generate Deepfakes for disinformation. On the other hand, it is not needed to point out
405 that a generic algorithm for optimizing neural networks could enable people to train
406 models that generate Deepfakes faster.
- 407 • The authors should consider possible harms that could arise when the technology is
408 being used as intended and functioning correctly, harms that could arise when the
409 technology is being used as intended but gives incorrect results, and harms following
410 from (intentional or unintentional) misuse of the technology.
- 411 • If there are negative societal impacts, the authors could also discuss possible mitigation
412 strategies (e.g., gated release of models, providing defenses in addition to attacks,
413 mechanisms for monitoring misuse, mechanisms to monitor how a system learns from
414 feedback over time, improving the efficiency and accessibility of ML).

415 11. Safeguards

416 Question: Does the paper describe safeguards that have been put in place for responsible
417 release of data or models that have a high risk for misuse (e.g., pre-trained language models,
418 image generators, or scraped datasets)?

419 Answer: **[TODO]**

420 Justification: **[TODO]**

421 Guidelines:

- 422 • The answer [N/A] means that the paper poses no such risks.

- 423 • Released models that have a high risk for misuse or dual-use should be released with
424 necessary safeguards to allow for controlled use of the model, for example by requiring
425 that users adhere to usage guidelines or restrictions to access the model or implementing
426 safety filters.
- 427 • Datasets that have been scraped from the Internet could pose safety risks. The authors
428 should describe how they avoided releasing unsafe images.
- 429 • We recognize that providing effective safeguards is challenging, and many papers do
430 not require this, but we encourage authors to take this into account and make a best
431 faith effort.

432 12. Licenses for existing assets

433 Question: Are the creators or original owners of assets (e.g., code, data, models), used in
434 the paper, properly credited and are the license and terms of use explicitly mentioned and
435 properly respected?

436 Answer: **[TODO]**

437 Justification: **[TODO]**

438 Guidelines:

- 439 • The answer [N/A] means that the paper does not use existing assets.
- 440 • The authors should cite the original paper that produced the code package or dataset.
- 441 • The authors should state which version of the asset is used and, if possible, include a
442 URL.
- 443 • The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- 444 • For scraped data from a particular source (e.g., website), the copyright and terms of
445 service of that source should be provided.
- 446 • If assets are released, the license, copyright information, and terms of use in the
447 package should be provided. For popular datasets, `paperswithcode.com/datasets`
448 has curated licenses for some datasets. Their licensing guide can help determine the
449 license of a dataset.
- 450 • For existing datasets that are re-packaged, both the original license and the license of
451 the derived asset (if it has changed) should be provided.
- 452 • If this information is not available online, the authors are encouraged to reach out to
453 the asset's creators.

454 13. New assets

455 Question: Are new assets introduced in the paper well documented and is the documentation
456 provided alongside the assets?

457 Answer: **[TODO]**

458 Justification: **[TODO]**

459 Guidelines:

- 460 • The answer [N/A] means that the paper does not release new assets.
- 461 • Researchers should communicate the details of the dataset/code/model as part of their
462 submissions via structured templates. This includes details about training, license,
463 limitations, etc.
- 464 • The paper should discuss whether and how consent was obtained from people whose
465 asset is used.
- 466 • At submission time, remember to anonymize your assets (if applicable). You can either
467 create an anonymized URL or include an anonymized zip file.

468 14. Crowdsourcing and research with human subjects

469 Question: For crowdsourcing experiments and research with human subjects, does the paper
470 include the full text of instructions given to participants and screenshots, if applicable, as
471 well as details about compensation (if any)?

472 Answer: **[TODO]**

473 Justification: **[TODO]**

474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513

Guidelines:

- The answer [N/A] means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional review board (IRB) approvals or equivalent for research with human subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer [N/A] means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

16. Declaration of LLM usage

Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the core methods in this research? Note that if the LLM is used only for writing, editing, or formatting purposes and does *not* impact the core methodology, scientific rigor, or originality of the research, declaration is not required.

Answer: **[TODO]**

Justification: **[TODO]**

Guidelines:

- The answer [N/A] means that the core method development in this research does not involve LLMs as any important, original, or non-standard components.
- Please refer to our LLM policy in the NeurIPS handbook for what should or should not be described.