

Instructions for LaTeLL 2026 Proceedings

Anonymous LaTeLL 2026 submission

Abstract

This document contains the instructions for preparing a manuscript for the proceedings of LaTeLL 2026. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like. These instructions should be used for both papers submitted for review and for final versions of accepted papers. Authors are asked to conform to all the directions reported in this document.

1 Credits

This document has been adapted by Ivelina Nikolova and Nikolai Nikolov from the instructions for ACL-IJCNLP 2021 and earlier ACL, NAACL and EMNLP and RANLP proceedings including those for ACL-IJCNLP 2021 by Roberto Navigli EMNLP 2020 by Yulan He, ACL 2020 by Steven Bethard, Ryan Cotterrell and Rui Yan, ACL 2019 by Douwe Kiela and Ivan Vulić, NAACL 2019 by Stephanie Lukin and Alla Roskovskaya, ACL 2018 by Shay Cohen, Kevin Gimpel, and Wei Lu, NAACL 2018 by Margaret Mitchell and Stephanie Lukin, 2017/2018 (NA)ACL bibtex suggestions from Jason Eisner, ACL 2017 by Dan Gildea and Min-Yen Kan, NAACL 2017 by Margaret Mitchell, ACL 2012 by Maggie Li and Michael White, ACL 2010 by Jing-Shing Chang and Philipp Koehn, ACL 2008 by Johanna D. Moore, Simone Teufel, James Allan, and Sadaoki Furui, ACL 2005 by Hwee Tou Ng and Kemal Oflazer, ACL 2002 by Eugene Charniak and Dekang Lin, and earlier ACL and EACL formats written by several people, including John Chen, Henry S. Thompson and Donald Walker. Additional elements were taken from the formatting instructions of the *International Joint Conference on Artificial Intelligence* and the *Conference on Computer Vision and Pattern Recognition*.

2 Introduction

The following instructions are directed to authors of papers submitted to LaTeLL 2026 or accepted for publication in its proceedings. All authors are required to adhere to these specifications. Authors are required to provide a Portable Document Format (PDF) version of their papers. **The proceedings are designed for printing on A4 paper.**

3 Electronically-available resources

LaTeLL provides this description and accompanying style files at

```
https://latell.org/2026/
latell2026/latell2026-templates.
zip
```

We strongly recommend the use of these style files, which have been appropriately tailored for the LaTeLL 2026 proceedings. You can also start from the Overleaf template linked from the conference website.

L^AT_EX-specific details: The templates include the L^AT_EX2e source (`latell.tex`), the L^AT_EX2e style file used to format it (`latell.sty`), an ACL bibliography style (`aclnatbib.bst`), an example bibliography (`latell.bib`), and the bibliography for the ACL Anthology (`anthology.bib`).

4 Length of Submission

LaTeLL publishes Regular papers 8 pages (with 30 min oral presentation), Short papers 6 pages (with 20 min oral presentation), and Poster/Demo papers 4 pages (with presentation in a poster or demo session).

Additional pages are allowed for references only. Upon acceptance, final versions of all submission types will be given one additional content page to address the reviewers' comments.

100 **Submissions which include appendices in the**
101 **main paper will be rejected without review.**

102 **Papers that do not conform to the specified**
103 **length and formatting requirements are subject**
104 **to rejection without review.**

105 For all submission types, all illustrations and
106 tables that are part of the main text must be accom-
107 modated within these page limits, observing the
108 formatting instructions given in the present docu-
109 ment. **Papers that do not conform to the spec-**
110 **ified length and formatting requirements are**
111 **subject to be rejected without review.**

112 5 Anonymity

113 As reviewing will be double-blind (except for de-
114 mos), papers submitted for review should not in-
115 clude any author information (such as names or
116 affiliations). Furthermore, self-references that re-
117 veal the author’s identity, *e.g.*,

119 We previously showed (Gusfield, 1997)

120 ...

121 should be avoided. Instead, use citations such as

122 [Gusfield \(1997\)](#) previously showed...

123 Please do not use anonymous citations and do not
124 include acknowledgements. **Papers that do not**
125 **conform to these requirements may be rejected**
126 **without review.**

127 Any preliminary non-archival versions of sub-
128 mitted papers should be listed in the submission
129 form but not in the review version of the paper.
130 Reviewers are generally aware that authors may
131 present preliminary versions of their work in other
132 venues, but will not be provided the list of previous
133 presentations from the submission form.

134 Please do not include github links that reveal the
135 authors’ identities in your submission. If you feel
136 it is important to include your source code, you can
137 zip the code and submit it to softconf.

138 Once a paper has been accepted to the confer-
139 ence, the camera-ready version of the paper should
140 include the author’s names and affiliations, and
141 is allowed to use self-references and provide the
142 related github link.

143 **LaTeX-specific details:** For an anonymized sub-
144 mission, ensure that `\aclfinalcopy` at the top of
145 this document is commented out, and that you have
146 filled in the paper ID number (assigned during the
147 submission process on softconf) where `***` appears

150 in the `\def\aclpaperid{***}` definition at the top
151 of this document. For a camera-ready submission,
152 ensure that `\aclfinalcopy` at the top of this docu-
153 ment is not commented out.

154 6 Multiple Submission Policy

155 Double submission is acceptable, but authors will
156 be asked to declare it at the time of submission.

157 7 Formatting Instructions

158 Manuscripts must be in two-column format. Ex-
159 ceptions to the two-column format include the ti-
160 tle, authors’ names and complete addresses, which
161 must be centered at the top of the first page, and any
162 full-width figures or tables (see the guidelines in
163 Section 7.5). **Type single-spaced.** Start all pages
164 directly under the top margin. The manuscript
165 should be printed single-sided and its length should
166 not exceed the maximum page limit described in
167 Section 4. Pages should be numbered in the ver-
168 sion submitted for review, but **pages should not be**
169 **numbered in the camera-ready version.**

170 **LaTeX-specific details:** The style files will gener-
171 ate page numbers when `\aclfinalcopy` is com-
172 mented out, and remove them otherwise.

173 7.1 File Format

174 For the production of the electronic manuscript
175 you must use Adobe’s Portable Document Format
176 (PDF). Please make sure that your PDF file in-
177 cludes all the necessary fonts (especially tree dia-
178 grams, symbols, and fonts with Asian characters).
179 When you print or create the PDF file, there is usu-
180 ally an option in your printer setup to include none,
181 all or just non-standard fonts. Please make sure that
182 you select the option of including ALL the fonts.
183 **Before sending it, test your PDF by printing it**
184 **from a computer different from the one where**
185 **it was created.** Moreover, some word processors
186 may generate very large PDF files, where each
187 page is rendered as an image. Such images may
188 reproduce poorly. In this case, try alternative ways
189 to obtain the PDF. One way is from online PDF
190 converters (beware to scan the output for threats),
191 or on some systems you may install a driver for a
192 postscript printer, send your document to the printer
193 specifying “Output to a file”, then convert the file
194 to PDF.

195 It is of utmost importance to specify the **A4 for-**
196 **mat** (21 cm x 29.7 cm) when formatting the paper.
197 Print-outs of the PDF file on A4 paper should be

identical to the hardcopy version. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs as soon as possible.

L^AT_EX-specific details: PDF files are usually produced from L^AT_EX using the `pdflatex` command. If your version of L^AT_EX produces Postscript files, `ps2pdf` or `dvipdf` can convert these to PDF. To ensure A4 format in L^AT_EX, use the command `\special{papersize=210mm,297mm}` in the L^AT_EX preamble (below the `\usepackage` commands) and use `dvipdf` and/or `pdflatex`; or specify `-t a4` when working with `dvips`.

7.2 Layout

Format manuscripts two columns to a page, in the manner these instructions are formatted. The exact dimensions for a page on A4 paper are:

- Left and right margins: 2.5 cm
- Top margin: 2.5 cm
- Bottom margin: 2.5 cm
- Column width: 7.7 cm
- Column height: 24.7 cm
- Gap between columns: 0.6 cm

Papers should not be submitted on any other paper size. If you cannot meet the above requirements about the production of your electronic submission, please contact the publication chairs above as soon as possible.

7.3 Fonts

For reasons of uniformity, Adobe’s **Times Roman** font should be used. If Times Roman is unavailable, you may use Times New Roman or **Computer Modern Roman**.

Table 1 specifies what font sizes and styles must be used for each type of text in the manuscript.

L^AT_EX-specific details: To use Times Roman in L^AT_EX2_ε, put the following in the preamble:

```
\usepackage{times}
\usepackage{latexsym}
```

Type of Text	Font Size	Style
paper title	15 pt	bold
author names	12 pt	bold
author affiliation	12 pt	
the word “Abstract”	12 pt	bold
section titles	12 pt	bold
subsection titles	11 pt	bold
document text	11 pt	
captions	10 pt	
abstract text	10 pt	
bibliography	10 pt	
footnotes	9 pt	

Table 1: Font guide.

7.4 Ruler

A printed ruler (line numbers in the left and right margins of the article) should be presented in the version submitted for review, so that reviewers may comment on particular lines in the paper without circumlocution. The presence or absence of the ruler should not change the appearance of any other content on the page. The camera ready copy should not contain a ruler.

Reviewers: note that the ruler measurements may not align well with lines in the paper – this turns out to be very difficult to do well when the paper contains many figures and equations, and, when done, looks ugly. In most cases one would expect that the approximate location will be adequate, although you can also use fractional references (*e.g.*, this line ends at mark 295.5).

L^AT_EX-specific details: The style files will generate the ruler when `\aclfinalcopy` is commented out, and remove it otherwise.

7.5 Title and Authors

Center the title, author’s name(s) and affiliation(s) across both columns. Do not use footnotes for affiliations. Place the title centered at the top of the first page, in a 15-point bold font. Long titles should be typed on two lines without a blank line intervening. Put the title 2.5 cm from the top of the page, followed by a blank line, then the author’s names(s), and the affiliation on the following line. Do not use only initials for given names (middle initials are allowed). Do not format surnames in all capitals (*e.g.*, use “Mitchell” not “MITCHELL”). Do not format title and section headings in all capitals except for proper names (such as “BLEU”) that

are conventionally in all capitals. The affiliation should contain the author’s complete address, and if possible, an electronic mail address.

The title, author names and addresses should be completely identical to those entered to the paper submission website in order to maintain the consistency of author information among all publications of the conference. If they are different, the publication chairs may resolve the difference without consulting with you; so it is in your own interest to double-check that the information is consistent.

Start the body of the first page 7.5 cm from the top of the page. **Even in the anonymous version of the paper, you should maintain space for names and addresses so that they will fit in the final (accepted) version.**

7.6 Abstract

Use two-column format when you begin the abstract. Type the abstract at the beginning of the first column. The width of the abstract text should be smaller than the width of the columns for the text in the body of the paper by 0.6 cm on each side. Center the word **Abstract** in a 12 point bold font above the body of the abstract. The abstract should be a concise summary of the general thesis and conclusions of the paper. It should be no longer than 200 words. The abstract text should be in 10 point font.

7.7 Text

Begin typing the main body of the text immediately after the abstract, observing the two-column format as shown in the present document.

Indent 0.4 cm when starting a new paragraph.

7.8 Sections

Format section and subsection headings in the style shown on the present document. Use numbered sections (Arabic numerals) to facilitate cross references. Number subsections with the section number and the subsection number separated by a dot, in Arabic numerals.

7.9 Footnotes

Put footnotes at the bottom of the page and use 9 point font. They may be numbered or referred to by asterisks or other symbols.¹ Footnotes should be separated from the text by a line.²

¹This is how a footnote should appear.

²Note the line separating the footnotes from the text.

Command	Output	Command	Output
<code>{\ "a}</code>	ä	<code>{\c c}</code>	ç
<code>{\ ^e}</code>	ê	<code>{\u g}</code>	ğ
<code>{\ `i}</code>	ì	<code>{\l}</code>	ł
<code>{\ .I}</code>	İ	<code>{\ ~n}</code>	ñ
<code>{\o}</code>	ø	<code>{\H o}</code>	ő
<code>{\ 'u}</code>	ú	<code>{\v r}</code>	ř
<code>{\aa}</code>	å	<code>{\ss}</code>	ß

Table 2: Example commands for accented characters, to be used in, *e.g.*, BIB_TE_X names.

7.10 Graphics

Place figures, tables, and photographs in the paper near where they are first discussed, rather than at the end, if possible. Wide illustrations may run across both columns. Color is allowed, but adhere to Section 9’s guidelines on accessibility.

Captions: Provide a caption for every illustration; number each one sequentially in the form: “Figure 1. Caption of the Figure.” “Table 1. Caption of the Table.” Type the captions of the figures and tables below the body, using 10 point text. Captions should be placed below illustrations. Captions that are one line are centered (see Table 1). Captions longer than one line are left-aligned (see Table 2).

L_AT_EX-specific details: The style files are compatible with the caption and subcaption packages; do not add optional arguments. **Do not override the default caption sizes.**

7.11 Hyperlinks

Within-document and external hyperlinks are indicated with Dark Blue text, Color Hex #000099.

7.12 Citations

Citations within the text appear in parentheses as (Gusfield, 1997) or, if the author’s name appears in the text itself, as Gusfield (1997). Append lowercase letters to the year in cases of ambiguities. Treat double authors as in (Aho and Ullman, 1972), but write as in (Chandra et al., 1981) when more than two authors are involved. Collapse multiple citations as in (Gusfield, 1997; Aho and Ullman, 1972).

Refrain from using full citations as sentence constituents. Instead of

“(Gusfield, 1997) showed that ...”

write

“Gusfield (1997) showed that ...”

LaTeX-specific details: Table 3 shows the syntax supported by the style files. We encourage you to use the natbib styles. You can use the command `\citet` (cite in text) to get “author (year)” citations as in Gusfield (1997). You can use the command `\citep` (cite in parentheses) to get “(author, year)” citations as in (Gusfield, 1997). You can use the command `\citealp` (alternative cite without parentheses) to get “author year” citations (which is useful for using citations within parentheses, as in Gusfield, 1997).

7.13 References

Gather the full set of references together under the heading **References**. Arrange the references alphabetically by first author, rather than by order of occurrence in the text.

Provide as complete a citation as possible, using a consistent format, such as the one for *Computational Linguistics* or the one in the *Publication Manual of the American Psychological Association* (American Psychological Association, 1983). Use full names for authors, not just initials.

Submissions should accurately reference prior and related work, including code and data. If a piece of prior work appeared in multiple venues, the version that appeared in a refereed, archival venue should be referenced. If multiple versions of a piece of prior work exist, the one used by the authors should be referenced. Authors should not rely on automated citation indices to provide accurate references for prior and related work.

The following text cites various types of articles so that the references section of the present document will include them.

- Example article in journal: (Ando and Zhang, 2005).
- Example article in proceedings, with location: (Börschinger and Johnson, 2011).
- Example article in proceedings, without location: (Andrew and Gao, 2007).
- Example arxiv paper: (Rasooli and Tetreault, 2015).

LaTeX-specific details: The LaTeX and BibTeX style files provided roughly follow the American Psychological Association format. If your own bib file is named `latell.bib`, then placing the following before any appendices in your LaTeX file will generate the references section for you:

```
\bibliographystyle{acl_natbib}
\bibliography{latell}
```

You can obtain the complete ACL Anthology as a BibTeX file from <https://aclweb.org/anthology/anthology.bib.gz>. To include both the anthology and your own bib file, use the following instead of the above.

```
\bibliographystyle{acl_natbib}
\bibliography{anthology,latell}
```

7.14 Digital Object Identifiers

As part of our work to make ACL materials more widely used and cited outside of our discipline, ACL has registered as a CrossRef member, as a registrant of Digital Object Identifiers (DOIs), the standard for registering permanent URNs for referencing scholarly materials.

All camera-ready references are required to contain the appropriate DOIs (or, as a second resort, the hyperlinked ACL Anthology Identifier) to all cited works. Appropriate records should be found for most materials in the current ACL Anthology at <http://aclanthology.info/>. As examples, we cite (Goodman et al., 2016) to show you how papers with a DOI will appear in the bibliography. We cite (Harper, 2014) to show how papers without a DOI but with an ACL Anthology Identifier will appear in the bibliography.

LaTeX-specific details: Please ensure that you use BibTeX records that contain DOI or URLs for any of the ACL materials that you reference. If the BibTeX file contains DOI fields, the paper title in the references section will appear as a hyperlink to the DOI, using the `hyperref` LaTeX package.

8 Equations

An example equation is shown below:

$$A = \pi r^2 \quad (1)$$

To add new equations, authors are encouraged to copy this existing equation line, and then replace with the new equation. The numbering and alignment of equation line elements is automatic. To update equation numbering, press Ctrl-A + F9.

Output	natbib command	Old ACL-style command
(Gusfield, 1997)	<code>\citep</code>	<code>\cite</code>
Gusfield, 1997	<code>\citealp</code>	no equivalent
Gusfield (1997)	<code>\citet</code>	<code>\newcite</code>
(1997)	<code>\citeyearpar</code>	<code>\shortcite</code>

Table 3: Citation commands supported by the style file. The style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous ACL style files for compatibility.

Note: this will only update the number to the right of the equation; to update numbering within the text you must create a cross-reference.

Cross-referencing: To create a cross-reference for an equation:

- Create a bookmark for it.
- Select the number to the right of the equation. Go to **Insert, Bookmark** (in the **Links** panel), and then create a name for your equation. Press **Add** to create the bookmark.
- To refer back, place the mouse pointer at the location where you wish to add the cross reference.
- Go to **Insert, Cross-reference** (in the **Links** panel). In the dialogue box, select **Bookmark** and **Bookmark Text** from each dropdown list. Uncheck **Insert as Hyperlink**, then click **OK**.
- This will make it such that whenever a new equation is added, the references to the equation will be updated when `Ctrl-A + F9` is pressed.
- This is an example cross-reference to Equation 1.

9 Accessibility

In an effort to accommodate people who are colorblind (as well as those printing to paper), grayscale readability is strongly encouraged. Color is not forbidden, but authors should ensure that tables and figures do not rely solely on color to convey critical distinctions. A simple criterion: All curves and points in your figures should be clearly distinguishable without color.

10 Translation of non-English Terms

It is also advised to supplement non-English characters and terms with appropriate transliterations and/or translations since not all readers understand

all such characters and terms. Inline transliteration or translation can be represented in the order of:

original-form
transliteration
“translation”

11 L^AT_EX Compilation Issues

You may encounter the following error during compilation:

```
\pdfendlink ended up in different nesting level than \pdfstartlink.
```

This happens when `pdflatex` is used and a citation splits across a page boundary. To fix this, the style file contains a patch consisting of two lines: (1) `\RequirePackage{etoolbox}` (line 455 in `latell.sty`), and (2) A long line below (line 456 in `latell.sty`).

If you still encounter compilation issues even with the patch enabled, disable the patch by commenting the two lines, and then disable the `hyperref` package by loading the style file with the `nohyperref` option:

```
\usepackage[nohyperref]{ac12025}
```

Then recompile, find the problematic citation, and rewrite the sentence containing the citation. (See, e.g., <http://tug.org/errors.html>)

Acknowledgments

The acknowledgments should go immediately before the references. Do not number the acknowledgments section. **Do not include this section when submitting your paper for review.**

References

- Alfred V. Aho and Jeffrey D. Ullman. 1972. *The Theory of Parsing, Translation and Compiling*, volume 1. Prentice-Hall, Englewood Cliffs, NJ.
- American Psychological Association. 1983. *Publications Manual*. American Psychological Association, Washington, DC.

600	Rie Kubota Ando and Tong Zhang. 2005. A framework	650
601	for learning predictive structures from multiple tasks	651
602	and unlabeled data. <i>Journal of Machine Learning</i>	652
603	<i>Research</i> , 6:1817–1853.	653
604	Galen Andrew and Jianfeng Gao. 2007. Scalable training	654
605	of L1-regularized log-linear models. In <i>Proceedings of the 24th International Conference on Machine</i>	655
606	<i>Learning</i> , pages 33–40.	656
607		657
608	Benjamin Börschinger and Mark Johnson. 2011. A particle filter algorithm for Bayesian wordsegmentation .	658
609	In <i>Proceedings of the Australasian Language Technology Association Workshop 2011</i> , pages 10–18,	659
610	Canberra, Australia.	660
611		661
612	Ashok K. Chandra, Dexter C. Kozen, and Larry J. Stockmeyer. 1981. Alternation . <i>Journal of the Association</i>	662
613	<i>for Computing Machinery</i> , 28(1):114–133.	663
614		664
615	James Goodman, Andreas Vlachos, and Jason Naradowsky. 2016. Noise reduction and targeted exploration in imitation learning for Abstract Meaning	665
616	Representation parsing . In <i>Proceedings of the 54th Annual Meeting of the Association for Computational</i>	666
617	<i>Linguistics (Volume 1: Long Papers)</i> , pages 1–11,	667
618	Berlin, Germany. Association for Computational Lin-	668
619	guistics.	669
620		670
621		671
622	Dan Gusfield. 1997. <i>Algorithms on Strings, Trees and</i>	672
623	<i>Sequences</i> . Cambridge University Press, Cambridge,	673
624	UK.	674
625	Mary Harper. 2014. Learning from 26 languages: Program management and science in the babel program .	675
626	In <i>Proceedings of COLING 2014, the 25th International Conference on Computational Linguistics: Technical Papers</i> ,	676
627	page 1, Dublin, Ireland. Dublin	677
628	City University and Association for Computational	678
629	Linguistics.	679
630		680
631	Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015. Yara parser: A fast and accurate dependency parser .	681
632	<i>Computing Research Repository</i> , arXiv:1503.06733.	682
633	Version 2.	683
634		684
635		685
636		686
637		687
638		688
639		689
640		690
641		691
642		692
643		693
644		694
645		695
646		696
647		697
648		698
649		699